



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

4-493

Date of Issuance:

3/16/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

BN-1439

Name and Address of Registrant (include ZIP Code):

Rebecca Horton
 Agent for Bonide Products, LLC
 c/o Registrations by Design, Inc.
 P.O. Box 1019
 Salem, VA 24153-1019

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continued on page 2

Signature of Approving Official:

Mindy Ondish

Mindy Ondish, Product Manager 23
 Herbicide Branch, Registration Division (7505P)

Date:

3/16/20

2. You are required to comply with the data requirements described in the Generic Data Call-Ins (GDCIs) identified below:
 - 2,4-D GDCI-030063-1362
 - Dicamba GDCI-029801-1659

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCIs listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please also note that the record for this product currently contains the following CSF:

- Basic CSF dated 01/20/2020

The following alternate brand names are added for this product:

- Bonide Weed Beater All-In-One Lawn Weed & Crabgrass Killer Ready to Use
- Bonide Weed Beater Plus
- Bonide Weed Beater Plus Crabgrass & Broadleaf Weed Killer Ready to Use
- Bonide Weed Beater Plus Dandelion and Broadleaf Weed Killer Ready to Use
- Bonide Weed Beater Plus for Lawns with Dandelion and Crabgrass Control Ready to Use
- Bonide Weed Beater Plus Ready to Use

If you have any questions, please contact Mindy Ondish at ondish.mindy@epa.gov or at (703)605-0723.

Enclosure


NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{Reviewed 01072019 As}

BN - 1439

{Two sublabels represent the entire or master label of BN – 1439. Please refer to the appropriate section of the labeling as shown as follows:

Section
Label Language Common to All Sublabels Intended for Residential Consumer Use
Sublabel 1. Ready-to-Use
Sublabel 2. Alternate Ready-to-Use
Appendix}



**{Label Language Common To All Sublabels Intended for
Residential Consumer Use}**

BN - 1439

{Alternate Brand Names:

- Bonide® Weed Beater Plus® Crabgrass & Broadleaf Weed Killer Ready to Use
- Bonide® Weed Beater Plus® Dandelion and Broadleaf Weed Killer Ready to Use
- Bonide® Weed Beater Plus® Ready to Use
- Bonide® Weed Beater Plus®
- Bonide® Weed Beater Plus® for Lawns with Dandelion and Crabgrass Control Ready to Use
- Bonide® Weed Beater All-In-One Lawn Weed & Crabgrass Killer Ready to Use}

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.331%
Quinclorac	0.206%
Dicamba	0.034%
OTHER INGREDIENTS:	<u>99.429%</u>
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- 0.0230 lb 2,4-D acid equivalent per gallon or 0.275%
 - 0.0172 lb Quinclorac acid per gallon or 0.206%
 - 0.0029 lb Dicamba acid per gallon or 0.034%
- Isomer Specific By AOAC Methods.

{Note: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then add a referral statement and present this substatement on the back panel: "See back panel for substatement of ingredient statement".}

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [back] [side] [other] [panel] [booklet] for additional precautionary statements and first aid.

NET CONTENTS XX GAL [XX QT] [XX PT] [XX Fl. Oz.]

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. [When using this product, wear long-sleeved shirt, long pants, socks, shoes, and gloves.]

First Aid	
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact X-XXX-XXX-XXXX [the National Pesticide Information Center at 1-800-858-7378] for emergency medical treatment information.	

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Limited Warranty and Disclaimer

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.

{Alternate Optional WARRANTY STATEMENT}

Satisfaction guaranteed or your money back

If not completely satisfied, please submit a refund request. Please send a copy of the receipt, the back label of the product that contains the UPC Code and a note explaining why you were dissatisfied. Send to, Bonide Products, LLC, Attn: Refund Request, 6301 Sutliff Road, Oriskany, NY 13424. Bonide will not be liable for any damage, direct or incidental. Refund or replacement product is Bonide's only obligation.

Buyers Guarantee limited to label claims

Bonide Products, LLC

6301 Sutliff Road

Oriskany, NY 13424

EPA Reg. No. 4-493 EPA Est. No. 4-NY-1

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{SUBLABEL 1 Ready-to-Use}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[HOW IT WORKS] [PRODUCT INFORMATION]:

[This product] [BN-1439] contains three proven weed killers that target lawn weeds and crabgrass. The herbicides enter the lawn weeds through their leaves and move inside the weeds, even down into the roots. And lawns listed on this label will not be harmed when used as directed.

USE RESTRICTIONS:

- For residential lawn use only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Apply when daytime temperatures are between 50° and 90°F (do not apply above 85°F for bermudagrass). Do not treat when air temperatures exceed 90°F as damage to turfgrass may occur.
- Do not apply this product to food crops (gardens, fruits and vegetables), forage crops, or ornamental plants including flowers, trees, shrubs, hedges, woody ornamentals, groundcovers established in landscape plantings and other nontarget plants.
- Do not spray exposed roots of ornamentals and trees.
- This product is for spot treatment only.
- Do not use clippings from treated area as compost or mulch in vegetable gardens, flower beds or around other desirable plants.
- Do not spray exposed roots of ornamentals and trees.

SHAKE WELL BEFORE USING.

WHERE TO USE:

This product is a ready-to-use (RTU) product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. This product can be applied to the following established turfgrass species:

Lawns To Be Treated:	
Cool Season Turfgrass	Warm Season Turfgrass
Kentucky bluegrass Ryegrass, perennial and annual Tall fescue Chewing's Fescue Fine Fescue (2) Hard Fescue Red Fescue Creeping Bentgrass(1) Annual Bluegrass (Poa Annua) (1) Rough Bluegrass (Poa trivialis)	Bermudagrass, common and hybrid (1) Zoysiagrass Warm season turfgrasses may see temporary discoloration. Do not apply during growth stages from dormancy to green-up and from green-up to dormancy.
<ol style="list-style-type: none">1. Temporary yellowing and discoloration on these species may occur after application.2. Only apply to fine fescue when it in part of a blend.	

NOTE: [Bracketed text is optional text].
 {Braces text is for Agency information – not printed on label}

DO NOT apply this product to the following:

St. Augustinegrass,
 Bahiagrass,
 Buffalograss
 Carpetgrass,
 Centipedegrass,
 Colonial Bentgrass
 Seaside Bentgrass
 Seashore paspalum
 Lawns with desirable clovers or legumes
 Dichondra,
 Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs)
 Turfgrass species that are not listed on this label
 Gardens including vegetables, fruit trees, vines and berries

WEEDS CONTROLLED

{Some or all of the following weeds will appear on the product label}

GRASS WEEDS

Barnyardgrass
 Crabgrass (large and smooth)
 Foxtail (green, yellow and giant)
 Signalgrass Broadleaf

BROADLEAF WEEDS:

Alder	Canada thistle	Florida betony	Milk vetch	Redroot pigweed
Annual yellow sweet clover	Carolina geranium	Florida pusley	Milkweed bloodflower	Red sorrel
Artichoke	Carpetweed	Frenchweed	Mugwort	Redstem filaree
Austrian fieldcress	Catchweed bedstraw	Galinsoga	Morningglory	Rough cinquefoil
Bedstraw	Catsear	Garlic mustard	Mousear chickweed	Rough fleabane
Beggartick	Catnip	Goathead	Musk thistle	Roundleafed marigold
Biden	Chickweed	Goatsbeard	Mustard	Rush
Bindweed	Chicory	Goldenrod	Narrowleaf plantain	Russian pigweed
Bird vetch	Cinquefoil	Ground ivy	Narrowleaf vetch	Russian thistle
Bitterweed	Common chickweed	Gumweed	Nettle	St. Johnswort
Bitter wintercress	Common mullein	Hairy bittercress	Orange hawkweed	Scarlet pimpernel
Black-eyed Susan	Common sowthistle	Hairy fleabane	Oxalis	Scotch thistle
Black medic	Corn chamomile	Hawkweed	Oxeye daisy	Sheep sorrel
Black mustard	Creeping Jenny	Healall	Parsley-piert	Shepherdspurse
Black-seed plantain	Crimson clover	Heartleaf drymary	Parsnip	Slender plantain
Blessed thistle	Croton	Hedge bindweed	Pearlwort	Smallflower galinsoga
Blue lettuce	Cudweed	Hedge mustard	Pennycress	Smartweed
Blue vervain	Curly dock	Hemp	Pennywort	Smooth dock
Boxelder	Curly indigo	Henbit	Peppergrass	Smooth pigweed
Bracted plantain	Dandelion	Hoary cress	Pepperweed	Sneezeweed
Brassbuttons	Dead nettle	Horsetail	Pigweed	Southern wild rose
Bristly oxtongue	Dock	Indiana mallow	Pineywoods bedstraw	Sowthistle
Broadleaf dock	Dollar weed	Ironweed	Plains coreopsis	Spanishneedle
Broadleaf plantain	Dogbane	Jewelweed	Plantain	Spatterdock
Broomweed	Dogfennel	Jimsonweed	Poison hemlock	Speedwell
Buckhorn	Elderberry	Kochia	Poison ivy	Spiny amaranth
Buckhorn plantain	English daisy	Knawel	Poison oak	Spiny cocklebur
Bulbous buttercup	Fall dandelion	Knotweed	Pokeweed	Spotted catsear
Bull nettle	False dandelion	Lambsquarter	Poorjoe	Spotted knapweed
Bull thistle	False flax	Lespedeza	Povertyweed	Spotted spurge
Burdock	False sunflower	Locoweed	Prostrate spurge	Spurge
Burning nettle	Fiddleneck	Lupine	Prostrate vervain	Spurweed
Bur ragweed	Field bindweed	Mallow	Puncture vine	Stinging nettle
Burweed	Field pansy	Marshelder	Purslane	Stinkweed
	Fleabane (daisy)	Matchweed	Ragweed	Stitchwort

NOTE: [Bracketed text is optional text].
 {Braces text is for Agency information – not printed on label}

Buttercup	Flixweed	Mexicanweed	Red clover	Strawberry clover
Sumac	Velvetleaf	Western salsify	Wild onion	Woolly morningglory
Sunflower	Venice mallow	White clover	Wild parsnip	Woolly plantain
Sweet clover	Veronica	White mustard	Wild radish	Wormseed
Tall nettle	Vervain	Wild aster	Wild rape	Yarrow
Thistle	Vetch	Wild buckwheat	Wild strawberry	Yellow rocket
Tick trefoil	Violet, wild	Wild carrot	Wild sweet potato	Yellowflower
Toadflax	Virginia buttonweed	Wild four-o'-clock	Wild vetch	pepperweed
Trailing crownvetch	Virginia creeper	Wild garlic	Willow	
Tumble mustard	Virginia pepperweed	Wild geranium	Witchweed	
Tumble pigweed	Wavyleaf bullthistle	Wild lettuce	Woodsorrel	
Tumbleweed	Western clematis	Wild marigold	Woolly croton	

WHEN TO USE:

Apply this product when weeds are small and actively growing.

CRABGRASS (large and smooth):

- **Spring:** Apply this product from crabgrass emergence until the crabgrass is 3 to 4 inches in height. This period begins the first time that you can see crabgrass in your lawn. Re-treat at 21 days later for dense populations or for continued crabgrass emergence.

FOXTAIL (green, giant and yellow):

- **Spring and early summer:** Apply this product to foxtail during the early growth stages or when foxtail is 1 to 4 inches in height. Re-treat at 21 days later for dense populations.

BROADLEAF WEEDS:

- **Spring:** Apply when **dandelion, plantain, buttercup, speedwell, knotweed** and other listed broadleaf weeds are young and actively growing with adequate soil moisture for best results.
- **Fall:** Apply when **henbit, chickweed, white clover, ground ivy, lawn burweed** and other listed broadleaf weeds are young and actively growing with adequate soil moisture for best results.

{Alternate When to Use table}

Weed species	Season	Timing	Comments
Crabgrass (large and smooth):	Spring	From crabgrass emergence until the crabgrass is 3 to 4 inches in height	Re-treat 21 days later for dense populations or for continued crabgrass emergence.
Foxtail (green, giant and yellow):	Spring and early summer	During the early growth stages or when foxtail is 1 to 4 inches in height.	Re-treat 21 days later for dense populations.
Dandelion, plantain, buttercup, speedwell, knotweed and other listed broadleaf weeds	Spring	When broadleaf weeds are small and actively growing.	Apply when broadleaf weeds are young and actively growing with adequate soil moisture.
Henbit, chickweed, white clover, ground ivy, lawn burweed and other listed broadleaf weeds	Fall	When broadleaf weeds are young and actively growing	Apply when broadleaf weeds are young and actively growing with adequate soil moisture

[HOW TO USE] [Trigger Sprayer]

{Directions For Use Options Based On Applicator}

{Option 1: Conventional Trigger Small RTU}

[Applicator (Device) (Applicator Name) {trademark brand name of particular applicator used in production may be featured} Directions/Instructions]

HOW TO USE:

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

Spray

1. Turn sprayer nozzle to desired spray.
2. Squeeze trigger repeatedly to spray.
3. Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

Finish

1. Turn sprayer nozzle to “OFF” [X]

{Option 2: Conventional Trigger Small RTU}

TRIGGER SPRAYERS:

1. Shake well. [if bottle already has sprayer attached only include steps 1 & 2 (not 1a & 1b)]
 - 1a. Connect trigger sprayer. Unscrew and discard the white cap on the bottle. Insert the hose into the bottle and tighten the cap securely.
 - 1b. Prime Sprayer: Turn the sprayer nozzle one-half turn counter-clockwise. Hold the sprayer lower than the bottle and squeeze the trigger several times until it sprays.
2. [Adjust the nozzle to coarse spray pattern to minimize wind drift. (graphic)]. Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

{End of Directions for Use Options Based on Applicator}

USE PRECAUTIONS:

For newly seeded areas:

- Do not apply within 6 weeks after seedling emergence of Kentucky bluegrass, fine fescue mixtures and perennial ryegrass. Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing.

For newly sodded, sprigged, or plugged areas:

- The application of this product to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

Seeding:

- Turf species listed on this label can be seeded into the treated areas at four (4) weeks after the application of this product.

Irrigation:

- Do not apply this product immediately before rainfall or irrigation. For best results, do not irrigate or water the turfgrass within 24 hours after application.
- Avoid applications of this product when turfgrasses are under stress since injury may result.

Mowing:

- Delay mowing 2 days before and until 2 days after the application of this product.

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{Storage and Disposal when packaged in non-refillable container}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Storage and Disposal when packaged in refillable container}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Refillable container. Refill this container with BN-1440 {referring to EPA Reg. No. 4-494} only. Do not reuse this container for any other purpose. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{SUBLABEL 2 Alternate Ready-To-Use}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

- Keep people and pets out of the area during application.
- Spray only the weed, not the entire lawn.
- This product is for spot treatment only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- [Reentry Icon] Do not allow people or pets to enter the treated area until sprays have dried.
- Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants.
- Do not use this product on or near desirable plants, including within the dripline of roots of desirable trees and shrubs, as injury may result.
- Do not use clippings as mulch or compost in vegetable gardens, flower beds, or around other desirable plants.
- Do not apply as a fine mist because of potential injury to desirable plants.

{OPTION 1 USE PRECAUTIONS}

USE PRECAUTIONS:

- Apply when weeds are young and actively growing.
- Delay mowing 2 days before and until 2 days after the application of this product.
- If the lawn is dry, water 24 hours before using this product.
- Do not water lawn within 24 hours of treatment.
- Certain hard-to-kill weeds may need to be spot treated in 21 days.
- For new lawns, apply only when grass has reached a height of at least 2 inches.
- Bare spots may be seeded 4 weeks after application.
- Spray when air temperatures are cooler than 90°F.
- Avoid applications during the spring transition of the warm season grasses and during periods of extremely high temperatures.

{OPTION 2 USE PRECAUTIONS}

USE PRECAUTIONS:		
When to Apply:	For established lawns For newly seeded areas For newly sodded, sprigged, or plugged areas	Apply when daytime temperatures are below 90°F. Apply this product to newly seeded grasses when well-established (approximately 6 weeks after seedling emergence) or after the third mowing. Apply this product 3 to 4 weeks after the sodding, sprigging, or plugging operations.
Seeding:		The treated area can be seeded at 4 weeks after the application of this product.
Irrigation:	Non-stressed turfgrass Stress from high temperatures, drought, insects or diseases.	Adequate soil moisture and favorable growing conditions enhance the performance of this product. Avoid applications of this product when turfgrasses are under stress since injury may result. If dry conditions exist, schedule irrigations (watering) before and after the application. For best results, delay the irrigation until approximately 24 hours after application of this product.
Mowing:		Delay mowing 2 days before and until 2 days after the application of this product.

NOTE: [Bracketed text is optional text].
 {Braces text is for Agency information – not printed on label}

HOW IT WORKS / PRODUCT INFORMATION:

[This product] [BN-1439] contains three proven weed killers that target lawn weeds and crabgrass. The herbicides enter the lawn weeds through their leaves and move inside the weeds, even down into the roots. And lawns listed on this label will not be harmed when used as directed.

WHERE TO USE:

This product is a ready-to-use [RTU] product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. This product can be applied to the following established turfgrass types:

Cool Season Turfgrass	Warm Season Turfgrass
Kentucky bluegrass Ryegrass, perennial and annual Tall fescue Chewing's Fescue Fine Fescue (2) Hard Fescue Red Fescue Creeping Bentgrass(1) Annual Bluegrass (Poa Annua) (1) Rough Bluegrass (Poa trivalis)	Bermudagrass, common and hybrid (1) Zoysiagrass Warm season turfgrasses may see temporary discoloration. Do not apply during growth stages from dormancy to green-up and from green-up to dormancy.
<ol style="list-style-type: none"> 1. Temporary yellowing and discoloration on these species may occur after application. 2. Only apply to fine fescue when it in part of a blend. 	

DO NOT apply this product to the following:
St. Augustinegrass, Bahiagrass, Buffalograss Carpetgrass, Centipedegrass, Colonial Bentgrass Seaside Bentgrass Seashore paspalum Lawns with desirable clovers or legumes Dichondra, Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs) Turfgrass species that are not listed on this label Gardens including vegetables, fruit trees, vines and berries

GRASS AND BROADLEAF WEEDS CONTROLLED

{Some or all of the following weeds will appear on the product label}

GRASS WEEDS
Barnyardgrass Crabgrass (large and smooth) Foxtail (green, yellow and giant) Signalgrass Broadleaf

NOTE: [Bracketed text is optional text].
 {Braces text is for Agency information – not printed on label}

BROADLEAF WEEDS:				
Alder	Canada thistle	Florida betony	Milk vetch	Redroot pigweed
Annual yellow sweet clover	Carolina geranium	Florida pusley	Milkweed bloodflower	Red sorrel
Artichoke	Carpetweed	Frenchweed	Mugwort	Redstem filaree
Austrian fieldcress	Catchweed bedstraw	Galinsoga	Morningglory	Rough cinquefoil
Bedstraw	Catsear	Garlic mustard	Mousear chickweed	Rough fleabane
Beggartick	Catnip	Goathead	Musk thistle	Roundleafed marigold
Biden	Chickweed	Goatsbeard	Mustard	Rush
Bindweed	Chicory	Goldenrod	Narrowleaf plantain	Russian pigweed
Bird vetch	Cinquefoil	Ground ivy	Narrowleaf vetch	Russian thistle
Bitterweed	Common chickweed	Gumweed	Nettle	St. Johnswort
Bitter wintercress	Common mullein	Hairy bittercress	Orange hawkweed	Scarlet pimpernel
Black-eyed Susan	Common sowthistle	Hairy fleabane	Oxalis	Scotch thistle
Black medic	Corn chamomile	Hawkweed	Oxeye daisy	Sheep sorrel
Black mustard	Creeping Jenny	Healall	Parsley-piert	Sheepspurse
Black-seed plantain	Crimson clover	Heartleaf drymary	Parsnip	Slender plantain
Blessed thistle	Croton	Hedge bindweed	Pearlwort	Smallflower galinsoga
Blue lettuce	Cudweed	Hedge mustard	Pennycress	Smartweed
Blue vervain	Curly dock	Hemp	Pennywort	Smooth dock
Boxelder	Curly indigo	Henbit	Peppergrass	Smooth pigweed
Bracted plantain	Dandelion	Hoary cress	Pepperweed	Sneezeweed
Brassbuttons	Dead nettle	Horsetail	Pigweed	Southern wild rose
Bristly oxtongue	Dock	Indiana mallow	Pineywoods bedstraw	Sowthistle
Broadleaf dock	Dollar weed	Ironweed	Plains coreopsis	Spanishneedle
Broadleaf plantain	Dogbane	Jewelweed	Plantain	Spatterdock
Broomweed	Dogfennel	Jimsonweed	Poison hemlock	Speedwell
Buckhorn	Elderberry	Kochia	Poison ivy	Spiny amaranth
Buckhorn plantain	English daisy	Knawel	Poison oak	Spiny cocklebur
Bulbous buttercup	Fall dandelion	Knotweed	Pokeweed	Spotted catsear
Bull nettle	False dandelion	Lambsquarter	Poorjoe	Spotted knapweed
Bull thistle	False flax	Lespedeza	Povertyweed	Spotted spurge
Burdock	False sunflower	Locoweed	Prostrate spurge	Spurge
Burning nettle	Fiddleneck	Lupine	Prostrate vervain	Spurweed
Bur ragweed	Field bindweed	Mallow	Puncture vine	Stinging nettle
Burweed	Field pansy	Marshelder	Purslane	Stinkweed
Buttercup	Fleabane (daisy)	Matchweed	Ragweed	Stitchwort
Sumac	Flixweed	Mexicanweed	Red clover	Strawberry clover
Sunflower	Velvetleaf	Western salsify	Wild onion	Woolly morningglory
Sweet clover	Venice mallow	White clover	Wild parsnip	Woolly plantain
Tall nettle	Veronica	White mustard	Wild radish	Wormseed
Thistle	Vervain	Wild aster	Wild rape	Yarrow
Tick trefoil	Vetch	Wild buckwheat	Wild strawberry	Yellow rocket
Toadflax	Violet, wild	Wild carrot	Wild sweet potato	Yellowflower
Trailing crownvetch	Virginia buttonweed	Wild four-o'clock	Wild vetch	pepperweed
Tumble mustard	Virginia creeper	Wild garlic	Willow	
Tumble pigweed	Virginia pepperweed	Wild geranium	Witchweed	
Tumbleweed	Wavyleaf bullthistle	Wild lettuce	Woodsorrel	
	Western clematis	Wild marigold	Woolly croton	

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

WHEN TO USE:

Apply this product when weeds are small and actively growing in the spring or fall. Aim at center of weed and spray to lightly cover weed leaves.

{Directions For Use Options Based On Applicator}

{Option 1: Conventional Trigger Small RTU}

[Applicator (Device) (Applicator Name) {trademark brand name of particular applicator used in production may be featured} Directions/Instructions]

HOW TO USE:

Spray

1. Turn sprayer nozzle to desired spray.
2. Squeeze trigger repeatedly to spray.
3. Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

Finish

1. Turn sprayer nozzle to “OFF” [X]

[Optional illustrations may be used in conjunction with the above steps]

{AND/OR}

{Option 2: Conventional Trigger Large RTU}

[Applicator (Device) (Applicator Name) {trademark brand name of particular applicator used in production may be featured} Directions/Instructions]

HOW TO USE:

Spray

1. Remove sprayer from bottle by sliding [pulling] sprayer up.
2. Unwrap [uncoil] hose and insert [color] hose connector into [color] spout on bottle cap **until it clicks**.
3. [Flip up [color] spout until fully upright] [Twist spout to “ON”] [Pull spout up].
4. Turn sprayer nozzle to desired spray. Squeeze trigger repeatedly to spray.
5. Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

Finish

1. Turn sprayer nozzle to “OFF” [X].
2. **DO NOT DISCONNECT HOSE CONNECTOR FROM SPOUT.**
3. [Place sprayer back into holster [holder]].

{Optional illustrations may be used in conjunction with the above steps}

{AND/OR}

{Option 3: Battery Powered Sprayer}

Battery Powered Sprayer Directions



- Remove sprayer from storage holster.
- Slide safety lock to the LOCK position.



- Unwind pickup tube on the sprayer before attaching to the bottle.
- Insert pickup tube in bottle and screw sprayer cap onto bottle.



- Slide safety lock to the ON position.
- Gently squeeze the trigger to dispense fluid. The sprayer may require several seconds for the fluid to prime.
- Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

{Option 3.1: Neck In Bottle with Sprayer}

SPRAYER DIRECTIONS

- Remove sprayer. Pull cord ALL THE WAY OUT.
- Remove top from cap on bottle.
- Insert plug into spout on cap until it clicks.
- Twist nozzle on sprayer to the spray position.
- Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).

{Option 4: 1.33 Gallon Sprayer}

SPRAYER INSTRUCTIONS

1. To detach sprayer handle and wand, remove the sticker and gently pull the wand from the bottle.
2. Unwrap hose from bottle.
3. Cut white plastic safety strip from pump and discard.
4. Make sure pump is securely screwed into tank by turning clockwise.
5. Make sure control lever on sprayer handle is in the "OFF" position by pulling back.
6. Slightly turn pump handle clockwise to unlock.
7. Pump handle up & down to create pressure in tank.
8. Point spray nozzle away from people and pets and desired plants.
9. Push the control lever on the sprayer handle to "ON" to begin spraying.
10. Adjust spray pattern by turning nozzle cap.
11. Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).
12. Pull control lever back to stop spraying.

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{Option 4.1: 1.33 Gallon Sprayer}

SPRAYER INSTRUCTIONS

- Remove wand from the bottle.
- Make sure pump is securely screwed into tank by turning clockwise.
- Make sure control lever on sprayer handle is in the “OFF” position by pulling back.
- Pump handle up & down.
- Push the control lever on the sprayer handle to “ON” to begin spraying.
- Adjust spray pattern by turning nozzle cap.
- Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).
- Pull control lever back to stop spraying.

{Option 4.2: 1.33 Gallon Sprayer}

[QuickShot] [Pump] [Sprayer directions]

- Remove sprayer wand from holster and pull sprayer cord ALL THE WAY OUT.
- Cut cable tie which holds pump handle.
- Rotate pump handle clockwise to unlock.
- Pump handle until pressure has built up in container.
- Squeeze lever on sprayer wand to spray product.
- Spray the weeds only. Spray [Apply] to lightly cover broadleaf and grass weeds. Excessive spraying can injure some lawns. Do not apply when daytime temperatures are above 90°F as lawn injury can occur (do not apply above 85°F for bermudagrass).
- Push handle down, rotate counterclockwise to lock into place.

{End of Directions for Use Options Based on Applicator}

{Optional Refill/Reuse Directions}

{Insert appropriate Refill Directions:}

[Directions for Refill/Reuse:

After the entire contents of this bottle has been used, BN-1440 {referring to EPA Reg. No. 4-494} may be used to refill this container. Refer to BN-1440 label for mixing directions.]

[This container may be reused with the available BN-1440 {referring to EPA Reg. No. 4-494} refill [bottle] [container]. Read and follow instructions in BN-1440 Directions for Use to refill the applicator.]

{Storage and Disposal when packaged in non-refillable container}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{Storage and Disposal when packaged in refillable container}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Refillable container. Refill this container with BN-1440 {referring to EPA Reg. No. 4-494} only. Do not reuse this container for any other purpose. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{APPENDIX

1. Advertising claims that may be presented on container labeling, advertisements, brochures, and other marketing/sales promotional materials:}

{Efficacy Claims}

- [Also] Kills [Dandelion], [Crabgrass], and [Clover], Plus [XXX] Other Listed Weeds (See inside booklet for a complete list of weeds controlled)
- Controls dandelions, crabgrass and other listed hard to kill grassy or broadleaf weeds (See inside booklet for a complete list of weeds controlled)
- Kills crabgrass and over XXX {placeholder – actual number will depend on total number of weeds featured on the marketing label} listed weeds.
- Kills [controls] [Crabgrass,] [Dandelion,] [Clover,] and other common [lawn weeds] [weeds found in your lawn] (See inside booklet for a complete list of weeds controlled)
- Kills [controls] broadleaf or grass weeds} (See inside booklet for a complete list of weeds controlled)
- Kill over [up to] XXX {placeholder – actual number will depend on total number of weeds featured on the marketing label} [lawn] weeds as listed
- Kills [controls] [over] [XXX+] weeds (See inside booklet for a complete list of weeds controlled)
- Controls over 200 Broadleaf Weeds as listed
- Kills 200+ Weeds (See inside booklet for a complete list of weeds controlled)
- Kills over 200 Weeds [Plus Crabgrass in One Easy Step] (See inside booklet for a complete list of weeds controlled)
- [Even] kills [controls] poison ivy and poison oak
- Kills [controls] [Hard-to-Control] [Tough] Weeds
- Kills Even Tough Weeds –down to the root
- Tough weed killer
- Kill [control] the most common weeds in your lawn [grass] (See inside booklet for a complete list of weeds controlled)
- Kills [controls] [lawn] weeds [in your grass] (See inside booklet for a complete list of weeds controlled)
- Kills [controls] both broadleaf and grass weeds [in lawns] (See inside booklet for a complete list of weeds controlled)
- Kills [controls] Listed Weeds (See inside booklet for a complete list of weeds controlled)
- Effective [Broadleaf] Weed Protection
- Effectively Protects Lawns from Broadleaf Weeds (See inside booklet for a complete list of weeds controlled)
- Weed Kill System
- Kills Major Broadleaf Weeds (See inside booklet for a complete list of weeds controlled)
- Kills [Lawn] Weeds plus [including Crabgrass] in One [Easy] Step (See inside booklet for a complete list of weeds controlled)
- Kills [Both] Broadleaf and [AND] Grassy Weeds [in One [Easy] Step] (See inside booklet for a complete list of weeds controlled)
- Kills [Control] lawn weeds *plus* crabgrass [in your lawn with ease!] (See inside booklet for a complete list of weeds controlled)
- One [1] [easy] solution for crabgrass, dandelions and clover
- Kills Crabgrass [plus] [over XX] Broadleaf Weeds (See inside booklet for a complete list of weeds controlled)
- Kills both Crabgrass & Broadleaf weeds (See inside booklet for a complete list of weeds controlled)
- Kills Crabgrass & Other Weeds in Your Lawn (See inside booklet for a complete list of weeds controlled)
- Kills Both Broadleaf and Crabgrass Weeds (See inside booklet for a complete list of weeds controlled)
- Controls crabgrass and broadleaf weeds in lawns (See inside booklet for a complete list of weeds controlled)
- When You Are Going to Kill Weeds, Why Not Get Broadleaf & Grass weeds (See inside booklet for a complete list of weeds controlled)
- [Only] targets the weeds, leaving your lawn [grass] unharmed when used as directed
- Targets weeds invading your lawn [grass]
- Targets Weeds
- Gets to the root of your weed problem
- Kills [lawn] weeds [down] [to the roots]
- Kills to the Root
- Gets the Root
- Kills the Weed, Kills the Root
- Kills Weeds not Lawns™ when used as directed
- Kills the Weeds, Not the Lawn [when used as directed]

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

- Won't Harm Lawns*
 *When used as directed
- Won't harm grass when used as directed
- Kills Weeds – Won't Harm Lawns when used as directed
- Will not Harm [Your] Lawn[s] when used as directed
- Gentle on lawns [grass], tough on weeds! when used as directed
- Kills by contact
- Starts working on contact

{Formula Claims:}

- 2-in-1
- Two Products in One!
- Two-in-One Product that Kills Crabgrass & Broadleaf Weeds
- Double [Dual] [Two-Way] Action – Kills Broadleaf and Crabgrass Weeds
- Two Types of Weeds; One Solution
- Dual Action Weed Control – Kills the Plant and the Root
- All-In-One Weed Killer
- All-in-One Weed Solution
- All-in-One Lawn Weed Killer
- All-in-One Weed Killer for Lawns
- All-in-One [complete] [total] [2-in-1] weed control [for lawns]
- How it works: The BN-1439 formula kills BOTH broadleaf weeds and Crabgrass in one easy step [without harming your lawn - guaranteed].
- Colorless formula
- Fast-acting [formula]
- For use on [many Northern & Southern] grasses [lawns] including XXX {placeholder – actual grasses identified will depend on those featured on the marketing label}
- Treats many Northern & Southern grass types
- Lawn Friendly when used as directed
- Non-staining
- Stain-free [formula]
- Systemic [herbicide] Activity

{Characteristics}

- A simple and effective way to kill breakthrough and pop up weeds in your yard/lawn/grass
- Easily [quickly] spot treat weeds
- [Great] [Ideal] for spot treatment[s]
- [Great] For spot treating [treatment]
- Spot weed control for Southern lawns
- Targets weeds
- Covers [treats up to] XXXX square feet
- Designed for use on Southern lawns [warm season grasses/list approved grass types here]
- Water based

{Weather & Speed}

- [See] results in 24 hours
- Overnight results
- Rainproof [rainfast] in [1] [X] hour[s]
- Starts working immediately
- Fast Results
- Visible Results
- Kills Weeds Fast
- Rainproof in [1] hour[s]
- [Visible] [See] results in X hours
- Starts Working on Contact
- Results [works] with 1 [one] application

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

{Applicator Claims}

- Hands stay dry
- No messy clean-up
- One-handed operation [use] [spraying]
- [Requires] no measuring, [no mixing]
- [The] Easy way to spray
- [Applicator name] {trademark brand name of particular applicator used in production may be featured}
- [Applicator name] {trademark brand name of particular applicator used in production may be featured} refill
- [One touch] [continuous spray] [Comfort] Wand
- 4 AA [brand name] batteries included
- Adjustable [spray] nozzle [for maximum control]
- Adjustable [spray] nozzle [for your custom needs]
- Battery powered [sprayer]
- Easy Action pump spray
- Extended Reach [illustration]
- Extended Wand [for hard-to-reach areas]
- No assembly required
- No [more] hand fatigue [tired hands]
- No more [bending] [kneeling] [or straining]
- Precise control [target] [- spray only what you want]
- Ready-to-Use
- Targets weeds in tight [hard to spray] spaces
- XX minutes of continuous spray
- Convenient [simple] design
- Easy [and simple] to use
- Quick & Easy [to use]
- Save[s] time [and energy]
- Easy to Use Power Sprayer
- Easy to Use
- No Pumping
- Battery Powered Sprayer
- Just Point & Shoot
- Always Ready-To-Spray
- No More Squeeze, Squeeze, Squeeze
- The Easiest Way to Spray
- No Pulling – Just Point & Shoot
- Revolutionary [Applicator] [Sprayer]
- Ideal for small areas.
- No messy cleanup.
- [Easy &] Fast Coverage
- Faster [Coverage] Than Pull & Spray

{Other}

- * when used as directed
- Be in control of weeds in your yard
- Before {illustration depicting labeled area of treatment – prior to being treated}/After {illustration depicting labeled area of treatment following treatment}
- DO NOT use on St. Augustine grass, including Floratam variety
- For a beautiful lawn
- For Home Lawn Care
- For Home Use
- From the lawn care experts at [company or brand]
- From the pest experts at [company or brand]
- Guaranteed [results]*
- Guaranteed not to harm the lawn when used as directed

NOTE: [Bracketed text is optional text].
{Braces text is for Agency information – not printed on label}

- **NOTICE:** To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.
- **The [company or brand] Guarantee**
 - Satisfaction guaranteed or your money back. If not completely satisfied, please submit a refund request. Please send a copy of the receipt, a copy/photo of the back label of the product that contains the UPC code and a note explaining why you were dissatisfied. Send to Bonide Products, LLC, Attn: Refund Request, 6301 Sutliff Road, Oriskany, NY 13424. Bonide will not be liable for any damage, direct or incidental. Refund or replacement product is Bonide's only obligation.
- Help[s] [keep[s]] the lawn look[ing] beautiful
- Keep from freezing
- Lawn friendly weed control when used as directed
- Local solutions for local problems
- [company or brand] guarantee
- [company or brand]'s #1 Weed Killer for Lawns
- [company or brand]'s [Our] most powerful weed killer for lawns
- [company or brand]'s simple weed killer
- Proven Performance
- Read Entire label before use
- Recyclable bottle
- [Recycle symbol]
- Safe for lawns [guaranteed*]
- Takes the guesswork out of weed control [in the lawn]
- Weed control for your lawn
- Weed control made easy
- Won't harm [the] lawn, guaranteed*
- XX% more than X gallon size
- XX% less plastic
- Systemic [Herbicide] [Activity]
- Ideal for Spot Treatment
- Save Time & Energy
- Guaranteed* Not to Harm [Your] Lawn[s]
- Guaranteed* Results
- Kills Weeds the First Time, Every Time, Guaranteed*
- 100% Satisfaction Guaranteed* (or your money back)
- **{Optional Instructions for Side Clip Tape}**
PULL / PEEL HERE [TO REMOVE TAPE]
Open Resealable Label For Directions and/& Precautions
Press to Reseal
- **Questions & Comments:** [icon phone] [icon computer]
- Call 1-800-xxx-xxxx or Visit our Website at www.companyname.com
- [Superscript is first letter of lot number]
- In the event of a medical or chemical emergency, contact the National Pesticide Information Center at 1-800-858-7378.

{The following Product Facts format is optional and the information may appear inside or outside of a box.}

PRODUCT FACTS:

[What It Does:] Kills major broadleaf and troublesome grass kills weeds including dandelion, chickweed, clover as well as crabgrass and foxtail. (See inside for complete list)

[Where to Use:] Lawns: Kills the weeds not the lawn when used as directed. (icon weeds)

[When to Use:] Apply when daytime temperatures are between 45° [50°] and 90°F, (do not apply above 85°F for bermudagrass).

Questions & Comments: [icon phone] [icon computer]
Call 1-800-xxx-xxxx or visit our website at www.companyname.com